



score ergo support

The ergonomic work chair for dental specialists who work with a microscope.
Designed for long-lasting comfort and optimal support for your back,
neck and shoulders – so you can do your work effortlessly.

Score Ergo Support

relaxed seating for precision work

The Score Ergo Support is specially designed for oral care specialists who needs to work with precision and focus for long periods of time. The ergo shape seat stimulates blood circulation, while the adjustable seat angle and backrest ensure a healthy working posture. The adjustable armrests provide optimal support without restricting your movement. The chair is upholstered with durable and easy-to-clean leatherette.



Dimensions	Seat: Ergo shape Ø 40 cm, backrest: B 37 x D 17 cm	Height adjustment	Low MID25: 49 - 63 cm (suitable for people 150 - 170 cm) Standard MID31: 59 - 77 cm (suitable for people 160 - 200 cm) High MID38: 63 - 88 cm (suitable for people 185 cm or taller)
Max. weight	120 kg	Floor contact	Ø 65 mm brake unloaded castors for hard floors (standard) Ø 50 mm brake loaded castors for hard floors (optional)
Mechanism	Adjustable seat angle		
Base	Aluminium base Ø 67 cm, optional Ø 60 cm		

Technical datasheet Score Ergo Support



Technical details:

Height adjustment seat standard gas lift MID31	:	circa 52 – 71 cm
Height adjustment seat low gas lift MID25	:	circa 46 – 60 cm
Dimensions seat (diameter)	:	Ø 40 cm
Thickness seat	:	7 cm
Dimensions lumbar support (height x width)	:	25 cm x 39 cm
Mechanisms	:	Tilt
Inclination adjustment seat	:	+6° / -6°
Inclination adjustment lumbar support	:	+11° / -21°

Diameter base	:	standard 67 cm / optional 60 cm
Diameter castors	:	65 mm
Maximum weight user	:	120 kg
Guarantee	:	5 years

Options with surcharge:

- Height adjustment by foot

Upholstery Stamskin or PUxx:

STAMSKIN

Composition	: Stamskin TOP F 4340, backing Polyamide-jersey, coating anti-microbial- and anti-fungal treatment.
Weight	: 780 g/m ² .
Light fastness	: Scale 7.
Abrasion resistance:	>120.000 rubs Martindale
Advantages	: Urine-, blood-, sweat-, fungal and 100 % waterproof, manufactured to environmentally friendly standards ISO 14001.
Cleaning	: With brush, water and soap, rinse of with water, do not clean with stain-removers containing solvents or oily products.
Biocides	: contains Folpet (N ^o 528 / 2012 / CE-Folpet); an antifungal additive used to help maintaining appearance, physical properties and to prolong service life of the products.
Flame retardant	:

EN 1021 1-2	D: DIN 53438/T2	F: NFP 92.507
-------------	-----------------	---------------

			
Black K05	Dark Blue K89	Capri Blue K189	Anthracite K85
			
Mouse Grey K295	Forest Green K292	Ochre Yellow K190	Taupe K258
			
Burgundy Red K170	Blush K294	Pink Orchid K394	Dutch Orange K196

PUxx

Composition	: PUxx nr.1, 100% Polyurethane, is fully PVC and Phthalate free
Weight	: ± 510 g/m ² .
Abrasion resistance:	> 90.000 rubs Martindale.
Light fastness	: 6-7 (8 is excellent).
Cleaning	: PUxx nr. 1 is very easily surface cleanable/disinfectable. It is resistant against commonly used cleaning products and disinfectants (70 % alcohol based disinfectants, active chlorine, quaternary ammonium compounds). Never use solvents.
Advantages	: Free of PVC and Phthalate, 100% waterproof, urine and blood resistant. Anti-bacterial and antifungal treatment. Oeko-tex certificate. Extremely scratch resistant surface. High comfort because it transports heat easily (no sweaty feeling).
Flame retardant	:

D DIN 4102 B1	EN 1021 1-2	UK BS5852 Crib 5	IMO 2010 FTP: part 8
---------------	-------------	------------------	----------------------

		
Black PU05	Dark Blue PU89	Grey PU95

Score Ergo Support: Marketing

General Score Ergo Support file:

<https://scoremarketingportal.stackstorage.com/s/ScoreDealer/nl/files/96757>

Environment product images:

<https://scoremarketingportal.stackstorage.com/s/ScoreDealer/nl/files/101242>

Product images:

<https://scoremarketingportal.stackstorage.com/s/ScoreDealer/nl/files/101241>

Product in use images:

<https://scoremarketingportal.stackstorage.com/s/ScoreDealer/nl/files/101248>

















































